



PRODUCT CATALOG

www.weldcote.com

TABLE OF CONTENTS

ULTRAVIEW PLUS DIGITAL TRUE-COLOR.....	4
ULTRAVIEW PLUS DIGITAL TRUE-COLOR - DESIGN WRAP OR DECAL	5
HELMET DISPLAY	6
ULTRAVIEW ANALOG TRUE-COLOR	7
KLEAVIEW PLUS DIGITAL TRUE-COLOR.....	8
KLEAVIEW ANALOG TRUE-COLOR	9
KWIKVIEW TRUE-COLOR.....	10
ECONOVIEW TRUE-COLOR	11
FIXED SHADE TRUE-COLOR AUTO DARKENING FILTERS	12
TRUE-COLOR AUTO DARKENING FILTER WITH LOCKED FRAME	12
AUTO-DARKENING ACCESSORIES	13
ADJUSTABLE HEADGEAR.....	13
KLEARVIEW HEADGEAR-ADJUSTABLE	13
HARD HAT ADAPTER	13
HELMET BAG	13
3 VOLT LITHIUM BATTERY	13
FIXED FRONT / FLIP FRONT HELMETS	14
LENSES	14
PLASTIC COVER LENS	14
SAFETY LENS	14
PLAIN GLASS	14
HEAT TREATED FILTER LENS-GLASS	15
GOLD PLATED PLASTIC FILTER LENS	15
MAGNIFYING LENS-GLASS	16
MAGNIFYING LENS-PLASTIC	16
REPLACEMENT LENS For Hornell™ 9000 Series Helmet.....	16
Miller™ STYLE REPLACEMENT LENS	17
FACESHIELDS	17
GLOVES	18
TIG GLOVES - WCM10	18
TIG GLOVES - WCM15.....	18
WELDERS GLOVES, INSULATED - WCM20.....	18
WORK GLOVES - WCM30	18
DRIVERS GLOVES - WCM40.....	19
MIG GLOVES - WCM50	19
MIG GLOVES - WCM55	19
MIG GLOVES - WCM58	19
PERFORMANCE GLOVES - WCM60.....	19



WELDCOTE SAFETY PRODUCTS

AUTO-DARKENING HELMETS, TRUE-COLOR

ULTRAVIEW PLUS, Digital

page 4-5



HELMET DISPLAY

page 6



ULTRAVIEW, Analog

page 7



KLEARVIEW PLUS, Digital

page 8



KLEARVIEW, Analog

page 9



KWIKVIEW, Analog

page 10



ECONOVIEW, Analog

page 11



True-Color Auto Darkening Filters

page 12



Auto-Darkening Accessories

page 13



WELDING ACCESSORIES

Standard Helmets

page 14



Lenses

page 14-17



Faceshields

page 17



Welding Gloves

page 18-19



ULTRAVIEW PLUS TRUE-COLOR

Digital Auto Darkening Helmet
(High Definition Filter Optics)



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 3.28"
- 1~CR2450 Lithium Battery Holder



Shade 3



Shade 10



New Headgear
as Standard



True Color:



Viewing Size:
100*83.4 mm / 3.94"*3.28"
(12.93 Sq. Inches)



Dark Shade #: 5-9 / 9-13



Warranty:
3 Years



UV/IR Protection:
Up to DIN15



Power Supply:
Solar and CR2450
Replaceable Battery



Switching Time
(light to dark):
0.08ms

Specifications:

- **Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- LED Display: Yes. Shade Control: Internal
- Light State: Shade 3, Dark State: Shade 5-9 / 9-13
- Inside PC Lens: 106 x 89.5 x 1mm (4.17" x 3.52") - Weldcote
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4") - Standard
- Sensitivity/Delay: Adjustable
- Adjustable Arc Sensors: 4
- Grind Function: Yes
- Grinding Warning Flash: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- Hardhat Adapter Available: Part # HHADAPTER
- Adapter for Plastic Magnifying Lenses
- Digital Low Battery Warning Indicator
- Use High Quality LCD and multilayer optical interference filter, provides clear view and permanent UV/IR protection up to DIN 15
- With 3 memory settings for easy retrieval of preset welding condition
- Helmet shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection
- Weight: 599g (1.3 lbs)
- EN 175:B, ANSI Z87.1, CSA Z94.3
- Extra lens provided
- Low AMP TIG Adapted: Yes, > / = 3 AMP

12.93 square inches
of viewing area!

ULTRAVIEWPLUSTC

	UPC #	Part #	U/M
ULTRAVIEW PLUS Auto-Darkening Welding Helmet - Digital "True Color"	812922011978	ULTRAVIEWPLUSTC	EA
ULTRAVIEW PLUS - EMERALD Auto-Darkening Welding Helmet - Digital "True Color"	843568115768	ULTRAv+EMERALD	EA
ULTRAVIEW PLUS - NEBULA Auto-Darkening Welding Helmet - Digital "True Color"	843568115775	ULTRAv+NEBULA	EA
ULTRAVIEW PLUS - EAGLE Auto-Darkening Welding Helmet - Digital "True Color"	843568111302	ULTRAv+EAGLE	EA

ULTRAVIEW PLUS TRUE-COLOR - Design Wrap or Decal



Available in:

- Emerald Wrap
- Nebula Wrap
- Shiny Black w/ Eagle Decals



- Optical Clarity Classification: 1/1/1/1
- Accuracy of Vision
- Diffusion of Light
- Consistent Shade
- Angular Dependence



ULTRAVIEWLI

KLEARVIEWLO

ULTRAVIEWPLUSTC Accessories

		UPC #	Part #	U/M
ULTRAVIEW PLUS Replacement Lens Cartridge "True Color"	One Cartridge		ULTRAVIEWPCTRT	EA
ULTRAVIEW Inside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922016027	ULTRAVIEWLI	PK
ULTRAVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	KLEARVIEWLO	PK
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
KLEARVIEW Headgear - Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 cards per Box	812922012333	WCM-CR2450	CD

HELMET DISPLAY

Please contact Weldcote for how to qualify for a display.

NEW
Display



ULTRAVIEW TRUE-COLOR

Analog Auto Darkening Helmet (High Definition Filter Optics)



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 3.28"

- 1~CR2450 Lithium
- Battery Holder



New Headgear as Standard



Shade 3



Shade 10



True Color:



Viewing Size:
100*83.4 mm / 3.94*3.28"
(12.93 Sq. Inches)



Dark Shade #:
5-9 / 9-13



Warranty:
3 Years



UV/IR Protection:
Up to DIN15



Power Supply:
Solar and CR2450
Replaceable Battery



Switching Time
(light to dark):
0.08ms

Specifications:

- **Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- Light State: Shade 3, Dark State: Shade 5-9 / 9-13
- Inside PC Lens: 106 x 89.5 x 1mm (4.17" x 3.52") - Weldcote
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4") - Standard
- Sensitivity/Delay: Adjustable
- Adjustable Arc Sensors: 4
- Grind Function: Yes
- Grinding Warning Flash: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- Use High Quality LCD and multilayer optical interference filter, provides clear view and permanent UV/IR protection up to DIN 15
- Helmet shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection
- Weight: 604g (1.33 lbs)
- EN 175:B, ANSI Z87.1, CSA Z94.3
- Extra lens provided
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Hardhat Adapter Available: Part # HHADAPTER
- Adapter for Plastic Magnifying Lenses

12.93 square inches of viewing area!

ULTRAVIEWTC		UPC #	Part #	U/M
ULTRAVIEW Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	812922015372	ULTRAVIEWTC	EA
ULTRAVIEW Replacement Lens Cartridge "True Color"	One Cartridge		ULTRAVIEWPCTRTC	EA
ULTRAVIEW Inside Cover Lens 5 Pack	5 Lens Per Pack 20 Packs per Box	812922016027	ULTRAVIEWLI	PK
ULTRAVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	KLEARVIEWLO	PK
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
KLEARVIEW Headgear - Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 cards per Box	812922012333	WCM-CR2450	CD

KLEAVIEW PLUS TRUE-COLOR

Digital Auto Darkening Helmet

NEW & Improved



New Headgear as Standard



2-CR2450 Lithium Battery Cover Plate

- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 2.36"



Shade 3



Shade 10



Viewing Size:
100 x 60 mm
3.94" x 2.36"



Dark Shade #:
5-9 / 9-13



Weight:
555g (1.2 lbs)



UV/IR Protection:
Up to DIN15



Power Supply:
Solar and 2 CR2450
Replaceable Batteries



Switching Time
(light to dark):
0.08ms

Specifications:

- **UPGRADE: Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- LED Display: Yes, Shade Control: Internal
- Light State: **Shade 3**, Dark State: **Shade 5-9 / 9-13**
- Inside PC Lens: 106 x 66 x 1mm (4.17" x 2.60")
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4")
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Sensitivity/Delay: Adjustable
- Arc Sensors: 4
- Grind Function: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- Use High Quality LCD and multilayer optical interference filter, provide clear view and permanent UV/IR protection up to DIN 15
- Digital low battery warning indicator
- Helmet Shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection
- Adapter for plastic magnifying lens
- Hardhat adapter available: Part # HHADAPTER
- ANSI Z87.1, CSA Z94.3, EN 175:B
- Extra lens provided
- Warranty: 3 Years

9.3 square inches of viewing area!

KLEARVIEW PLUS		UPC #	Part #	U/M
KLEARVIEW PLUS Auto-Darkening Welding Helmet - Digital "True Color"	4 Helmets per Carton	812922014313	KLEARVIEWPLUSTC	EA
KLEARVIEW Inside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012784	KLEARVIEWLI	PK
KLEARVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	KLEARVIEWLO	PK
KLEARVIEW PLUS Replacement Lens Cartridge - "True Color"	One Cartridge		KLEARVIEWPCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 Cards per Box	812922012333	WCM-CR2450	CD

KLEAVIEW TRUE-COLOR

Analog Auto Darkening Helmet

NEW & Improved



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 2.36"



2~CR2450 Lithium Battery Cover Plate



Viewing Size:
100 x 60 mm
3.94" x 2.36"



Dark Shade #: 5-9 / 9-13



Weight:
550g (1.2 lbs)



UV/IR Protection:
Up to DIN15



Power Supply:
Solar and 2 CR2450
Replaceable Batteries



Switching Time
(light to dark):
0.08ms

Specifications:

- **UPGRADE: Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- Light State: Shade 4, Dark State: Shade 5-9 / 9-13
- Inside PC Lens: 106 x 66 x 1mm (4.17" x 2.60")
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4")
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Sensitivity/Delay: Adjustable
- Arc Sensors: 4
- Grind Function: Yes
- Operation Temperature: (-10°C - 65°C) (14°F - 149°F)
- Storage Temperature: (-20°C - 85°C) (-4°F - 185°F)
- Use High Quality LCD and multilayer optical interference filter, provide clear view and permanent UV/IR protection up to DIN 15
- Helmet Shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection
- Adapter for plastic magnifying lens
- Hardhat adapter available: Part # HHADAPTER
- Available in Shiny Black or **Emerald Wrap**
- CE EN 379, ANSI Z87.1, CSA Z94.3, EN 175:B
- Extra lens provided
- Warranty: 3 Years



9.3 square inches of viewing area!

KLEARVIEW		UPC #	Part #	U/M
KLEARVIEW Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	812922014290	KLEARVIEWTC	EA
KLEARVIEW - EMERALD Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	843568115805	KLEARVEMERALD	EA
KLEARVIEW Inside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012784	KLEARVIEWLI	PK
KLEARVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	KLEARVIEWLO	PK
KLEARVIEW Replacement Lens Cartridge - "True Color"	One Cartridge		KLEARVIEWCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 Cards per Box	812922012333	WCM-CR2450	CD

KWIKVIEW TRUE-COLOR

Analog Auto Darkening Helmet



- ADF Cartridge Size: 4-1/3 x 3-1/2 x 1/3"
- LCD Viewing Area: 3.78 x 1.65"



1 Built-In CR2450
Lithium Battery
as Power Back-Up



New Headgear
as Standard



Viewing Size:
96 x 42 mm
3.78" x 1.65"



Dark Shade #:
9-13



Weight:
530g (1.17 lbs)



UV/IR Protection:
Up to DIN15



Solar cell,
no battery
replacement required



Switching Time
(light to dark):
0.08ms

Specifications:

- Optical Clarity Classification: 1/1/1/2
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- Light Shade Number: 4
- Inside PC Lens: 103.5 x 47 x 1mm (4.07" x 1.85")
- Outside PC Lens: 110 x 90 x 1mm (4-1/3" x 3-1/2")
- Low AMP TIG Adapted: Yes, > / = 5 AMP
- Sensitivity/Delay: Adjustable
- Arc Sensors: 2
- Grind Function: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- CE EN379 (1/1/1/2), EN 175:B, ANSI Z87.1, CSA Z94.3
- Equipped with continuous darkness - adjusting unit (knob) on the outside of the helmet.
- Ratchet headgear and sweatband.
- Warranty: 3 Years

KWIKVIEW		UPC #	Part #	U/M
KWIKVIEW Auto-Darkening Welding Helmet "True Color"	4 Helmets Per Carton	812922014276	KWIKVIEWTC	EA
KWIKVIEW Inside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011282	KWIKVIEWLI	PK
KWIKVIEW Outside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011299	KWIKVIEWLO	PK
KWIKVIEW Replacement Lens Cartridge - "True Color"	One Cartridge		KWIKVIEWCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
3 Volt Lithium Battery	2 Batteries per card / 10 cards per box	812922012333	WCM-CR2450	CD

ECONOVIEW TRUE-COLOR

Analog Auto Darkening Helmet

NEW




- ADF Cartridge Size: 4-1/3 x 3-1/2 x 1/3"
- LCD Viewing Area: 3.54 x 1.57"



1 Built-In CR2450
Lithium Battery
as Power Back-Up



Cartridge



Shade 4



Shade 10



New Headgear
as Standard




Viewing Size:
90 x 40mm
(3.54" x 1.57")



Dark Shade #:
9-13



Weight:
495g (1.1 lbs)



UV/IR Protection:
Up to DIN15



Solar cell,
no battery
replacement required

Specifications:

- Optical Clarity Classification: 1/1/1/2
- Light State: Shade 4, Dark State: 9-13
- Inside PC Lens: 97.4 x 44.9 x 1mm (3.83" x 1.77")
- Outside PC Lens: 110 x 90 x 1mm (4-1/3" x 3-1/2")
- Low AMP TIG Adapted: Yes, > / = 5 AMP
- Delay Time (dark to light): 0.1s, 0.5s, 0.9s
- Arc Sensors: 2
- Shade Control: External
- Sensitivity Control: Low, Medium, High
- Power Supply: Solar Cell, no Battery replacement required
- Operation Temperature: (-10°C - 65°C) (14°F - 149°F)
- Storage Temperature: (-20°C - 85°C) (-4°F - 185°F)
- UV/IR Protection: DIN 15
- Grind Function: Yes
- Color: Shiny Black
- CE EN379 (1/1/1/2), EN 175:B, ANSI Z87.1, CSA Z94.3
- Warranty: 3 Years

5.58 square inches
of viewing area!

ECONOVIEW		UPC #	Part #	U/M
ECONOVIEW Auto-Darkening Welding Helmet "True Color"	4 Helmets Per Carton	812922014276	ECONOVIEW	EA
KWIKVIEW Inside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011282	KWIKVIEWLI	PK
KWIKVIEW Outside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011299	KWIKVIEWLO	PK
KWIKVIEW Replacement Lens Cartridge - "True Color"	One Cartridge		KWIKVIEWCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA



TRUE-COLOR AUTO DARKENING FILTERS

True-Color Auto Darkening Filter

- **Optical Clarity Classification: 1/1/1/1**
 - Accuracy of Vision
 - Diffusion of Light
 - Consistent Shade
 - Angular Dependence
- 2 Independent Arc Sensors. Thickness 5.5 mm / 0.2"
- Auto-on / Auto-off circuitry
- Viewing area of 5.15 square inch. 3.62" x 1.42"
- Switching speed 3/10,000 sec (0.3 ms)
- Start in shade 3-grind mode
- Clear True-Color Blue HD Technology
- Solar Cell and Non-Replaceable Lithium Battery
- Enhanced visible spectrum, optimal clarity
- Reduced eye and neck fatigue



11122

Instruction For Use

- » Install the filter and protective plate into the suitable welding helmet.
- » The solar cell and light sensor must be fully exposed and be sure the arc light can be received fully by solar cell and sensor.
- » Then strike the arc, the filter will darken immediately.

Warnings

- » Replace damaged parts to avoid serious injury.
- » Avoid heavy knock to break the filter.
- » Do not immerse filter into water or other liquid.
- » Use only at 14° F (-10° C) - 149° F (65° C).
- » If the filter is not to be used for a long period of time, pack the filter in the box or store in a dark place.
- » Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)



UPC #	Size	Filter Fixed	View Area	Description	CE Classification	Retail QTY*	Retail Pack	Master Pack
11121	2" x 4.25"	9	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/1	1	10	20
11122	2" x 4.25"	10	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/1	1	10	20
11123	2" x 4.25"	11	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/2	1	10	20
11124	2" x 4.25"	12	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/2	1	10	20
11125	4.5" x 5.25"	10	3.94" x 2.36" (9.30 sq in)	True-Color	1/1/1/1	1	10	20

* Sold in units of 1

True-Color Auto Darkening Filter with Locked Frame



- Easy to separate the locked frame from the cartridge
- This design is more flexible to fit different helmet shell
- Size: 4.5" x 5.25"

UPC #	Size	Retail QTY	U/M
11170	4.5" x 5.25"	1	EA

The frame with the hook like lock

Total thickness of the ADF is around 9.5mm (0.37")



AUTO-DARKENING ACCESSORIES



ADJUSTABLE HEADGEAR

NEW

- Interchangeable for all Ultraview and Klearview Helmets.
- Redesigned headgear with comfort cushion and ratchet that provides adjustability settings and enhanced support.

		UPC #	Part #	U/M
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA



KLEARVIEW HEADGEAR-ADJUSTABLE

		UPC #	Part #	U/M
KLEARVIEW Headgear-Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA



HARD HAT ADAPTER

- fits all Weldcote Metals' Auto-Darkening Helmets!

		UPC #	Part #	U/M
Hard Hat Adapter	One Adapter	812922015648	HHADAPTER	EA



HELMET BAG

		UPC #	Part #	U/M
Helmet Bag	One Bag	812922015389	HELMETBAG	EA

3 VOLT LITHIUM BATTERY

- Cr2450 3 Volt Lithium Battery 2 Pack



		UPC #	Part #	U/M
3 Volt Lithium Battery	2 Batteries per card 10 cards per box	812922012333	WCM-CR2450	CD

FIXED FRONT / FLIP FRONT HELMETS

Passive Welding Helmets



		UPC #	Part #	U/M
Fixed Front Welding Helmet 2" x 4-1/4"	8 Helmets Per Carton	812922014344	WHFIXEDF2X4	EA
Fixed Front Welding Helmet 4-1/2" x 5-1/4"		812922014351	WHFIXEDF4X5	EA
Flip Front Welding Helmet 2" x 4-1/4"	4 Helmets Per Carton	812922014368	WHFLIPF2X4	EA
Flip Front Welding Helmet 4-1/2" x 5-1/4"		812922014375	WHFLIPF4X5	EA

LENSES

(All WeldCote Lenses Meet or Exceed ANSI Z87.1 Specifications)

PLASTIC COVER LENS

Contains Cr-39® Monomer



		UPC #	Part #	U/M	Size
2" x 4-1/2" Cover Lens	100 Lens per Box / 500 Case	877511002706	CVRENS2X4	EA	2" x 4-1/4"
4-1/2" x 5-1/4" Cover Lens	50 Lens per Box / 200 Case	877511002713	CVRENS4X5	EA	4-1/2" x 5-1/4"

SAFETY LENS

Designed to protect welders' eyes when flip-front is lifted



		UPC #	Part #	U/M	Size
Safety Lens 2" x 4-1/4"	100 Lens per Box / 1000 Case	877511004700	SAFETYLENS2X4	EA	2" x 4-1/4"
Safety Lens 4-1/2" x 5-1/4"	50 Lens per Box / 500 Case	877511004717	SAFETYLENS4X5	EA	4-1/2" x 5-1/4"
*Only Sold in Standard Box					
Safety Lens 2" x 4-1/4" 5 Pack	20 Packs per Box / 200 Case	812922013521	SAFETYLENS2X4P	EA	2" x 4-1/4"
Safety Lens 4-1/2" x 5-1/4" 5 Pack	10 Packs per Box / 100 Case	812922013538	SAFETYLENS4X5P	EA	4-1/2" x 5-1/4"

PLAIN GLASS

		UPC #	Part #	U/M	Size
Plain Glass 2" x 4-1/4"	100 Lens per Box / 500 Case	877511003321	PLAINGLASS2X4	EA	2" x 4-1/4"
Plain Glass 4-1/2" x 5-1/4"	50 Lens per Box / 200 Case	877511003338	PLAINGLASS4X5	EA	4-1/2" x 5-1/4"

HEAT TREATED FILTER LENS-GLASS



		UPC #	Part #	U/M	Size
Filter Lens 2" x 4-1/4" Shade 3	50 Lenses per Box	877511002720	FLENS2X4SH3	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 4		877511002737	FLENS2X4SH4	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 5		877511002744	FLENS2X4SH5	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 6		877511002751	FLENS2X4SH6	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 7		877511002768	FLENS2X4SH7	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 8		877511002775	FLENS2X4SH8	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 9		877511002782	FLENS2X4SH9	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 10		877511002799	FLENS2X4SH10	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 11		877511002805	FLENS2X4SH11	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 12		877511002812	FLENS2X4SH12	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 13		877511002829	FLENS2X4SH13	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 14		877511002836	FLENS2X4SH14	EA	2" x 4-1/4"

*Only Sold in Standard Box

Filter Lens 4-1/2" x 5-1/4" Shade 3	15 Lenses per Box	877511002843	FLENS4X5SH3	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 4		877511002850	FLENS4X5SH4	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 5		877511002867	FLENS4X5SH5	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 6		877511002874	FLENS4X5SH6	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 7		877511002881	FLENS4X5SH7	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 8		877511002898	FLENS4X5SH8	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 9		877511002904	FLENS4X5SH9	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 10		877511002911	FLENS4X5SH10	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 11		877511002928	FLENS4X5SH11	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 12		877511002935	FLENS4X5SH12	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 13		877511002942	FLENS4X5SH13	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 14		877511002959	FLENS4X5SH14	EA	4-1/2" x 5-1/4"



GOLD PLATED PLASTIC FILTER LENS

		UPC #	Part #	U/M	
Gold Plastic Lens 2" x 4-1/4" Shade 8	50 Lenses per Box	877511003062	GLDPLENS2X4SH8	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 9		877511003079	GLDPLENS2X4SH9	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 10		877511003086	GLDPLENS2X4SH10	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 11		877511003093	GLDPLENS2X4SH11	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 12		877511003109	GLDPLENS2X4SH12	EA	2" x 4-1/4"

Gold Plastic Lens 4-1/2" x 5-1/4" Shade 8	15 Lenses per Box	877511003116	GLDPLENS4X5SH8	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 9		877511003123	GLDPLENS4X5SH9	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 10		877511003130	GLDPLENS4X5SH10	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 11		877511003147	GLDPLENS4X5SH11	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 12		877511003154	GLDPLENS4X5SH12	EA	4-1/2" x 5-1/4"



LENSES

MAGNIFYING LENS-GLASS



		UPC #	Part #	U/M	
.75 Glass Mag Lens 2" x 4-1/4"	6 Pair per Box	877511003161	GLMAGLENS2X475	PR	2" x 4-1/4" - diopter .75
1.00 Glass Mag Lens 2" x 4-1/4"		877511003178	GLMAGLENS2X4100	PR	2" x 4-1/4" - diopter 1.00
1.25 Glass Mag Lens 2" x 4-1/4"		877511003185	GLMAGLENS2X4125	PR	2" x 4-1/4" - diopter 1.25
1.50 Glass Mag Lens 2" x 4-1/4"		877511003192	GLMAGLENS2X4150	PR	2" x 4-1/4" - diopter 1.50
1.75 Glass Mag Lens 2" x 4-1/4"		877511003208	GLMAGLENS2X4175	PR	2" x 4-1/4" - diopter 1.75
2.00 Glass Mag Lens 2" x 4-1/4"		877511003215	GLMAGLENS2X4200	PR	2" x 4-1/4" - diopter 2.00
2.25 Glass Mag Lens 2" x 4-1/4"		877511003222	GLMAGLENS2X4225	PR	2" x 4-1/4" - diopter 2.25
2.50 Glass Mag Lens 2" x 4-1/4"		877511003239	GLMAGLENS2X4250	PR	2" x 4-1/4" - diopter 2.50
3.00 Glass Mag Lens 2" x 4-1/4"		877511003246	GLMAGLENS2X4300	PR	2" x 4-1/4" - diopter 3.00

*Only Sold in Standard Box

MAGNIFYING LENS-PLASTIC



		UPC #	Part #	U/M	
1.00 Plastic Mag 2" x 4-1/4"	6 Pair per Box	877511003253	PLMAGLENS2X4100	PR	2" x 4-1/4" - diopter 1.00
1.25 Plastic Mag 2" x 4-1/4"		877511003260	PLMAGLENS2X4125	PR	2" x 4-1/4" - diopter 1.25
1.50 Plastic Mag 2" x 4-1/4"		877511003277	PLMAGLENS2X4150	PR	2" x 4-1/4" - diopter 1.50
1.75 Plastic Mag 2" x 4-1/4"		877511003284	PLMAGLENS2X4175	PR	2" x 4-1/4" - diopter 1.75
2.00 Plastic Mag 2" x 4-1/4"		877511003291	PLMAGLENS2X4200	PR	2" x 4-1/4" - diopter 2.00
2.25 Plastic Mag 2" x 4-1/4"		877511003307	PLMAGLENS2X4225	PR	2" x 4-1/4" - diopter 2.25
2.50 Plastic Mag 2" x 4-1/4"		877511003314	PLMAGLENS2X4250	PR	2" x 4-1/4" - diopter 2.50

REPLACEMENT LENS For Hornell™ 9000 Series Helmet



		UPC #	Part #	U/M
Replacement Lens-Hornell™ 9000 Outside Lens 10 Pack	10 Lens per Pack 50 Packs per Case	877511003369	HORNELL9000	PK

*Outside lens for Hornell™ 9000 Series Helmet, Hornell™ Part #: 04-0270-00

		UPC #	Part #	U/M
Replacement Lens-Hornell™ 9000F Inside Lens 5 Pack	5 Lens per Pack 50 Packs per Case	877511003376	HORNELL9000F	PK

*Inside lens for Hornell™ 9000F & V Helmet, Hornell™ Part #: 04-0290-00

		UPC #	Part #	U/M
Replacement Lens-Hornell™ 9000X Inside Lens 5 Pack	5 Lens per Pack 50 Packs per Case	877511003383	HORNELL9000X	PK

*Inside lens for Hornell™ 9000X & XF Helmets, Hornell™ Part #: 04-0280-00

LENSES

(All WeldCote Lenses Meet or Exceed ANSI Z87.1 Specifications)

Miller™ STYLE REPLACEMENT LENS



OUTSIDE COVER LENS		UPC #	Part #	U/M	Size
4-11/16" x 5-5/8" 5 Pack	5 Lens per Pack / 50 Packs per Case	812922011305	WLENS216326	PK	4-11/16" x 5-5/8"
4-1/2" x 5" 5 Pack	5 Lens per Pack / 20 Packs per Case	812922011329	WLENS231921	PK	4-1/2" x 5"
4-1/2" x 3-3/4" 5 Pack	5 Lens per Pack / 20 Packs per Case	812922011343	WLENS231411	PK	4-1/2" x 3-3/4"

INSIDE COVER LENS		UPC #	Part #	U/M	Size
4-3/16" x 2-1/2" 5 Pack	5 Lens per Pack / 50 Packs per Case	812922011312	WLENS216327	PK	4-3/16" x 2-1/2"
4-1/4" x 2" 5 Pack	5 Lens per Pack / 50 Packs per Case	812922011336	WLENS770237	PK	4-1/4" x 2"
4-1/4" x 1-3/4" 5 Pack	5 Lens per Pack / 50 Packs per Case	812922011350	WLENS231410	PK	4-1/4" x 1-3/4"

FACESHIELDS



	UPC #	Part #	U/M	
Visor-Header Card and Polybag	812922014528	WHG01	EA	
Faceshield-Banded Clear 9" x 15-1/2" Bulk Pkg	10 per Box / 50 per mst Carton	812922014559	BC9X155	EA
Faceshield-Banded Dark Green 9" x 15-1/2" Bulk Pkg	10 per Box / 50 per mst Carton	812922014573	BDG9X155	EA
Faceshield-Banded Clear 9" x 15-1/2" POP Pkg		812922014566	BC9X155P	EA
Faceshield-Banded Dark Green 9" x 15-1/2" POP Pkg		812922014580	BDG9X155P	EA

GLOVES

Weldcote Metals Glove Line Offers Welding Professionals Some the Most Robust and Comfortable Gloves on the Market.



TIG GLOVES - WCM10

- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Wing Thumb; Seamless Forefinger for Comfort.
- Top Grain Goatskin with 4" Split Leather Cuff.
- Outstanding Durability for General TIG Use.
- Unlined for Maximum Dexterity.

		UPC #	Part #	U/M
TIG Glove, Grain Goatskin/Split Cowhide, Kevlar® Thread Small	1 Dozen Pair per PolyBag	812922015624	WCM10S	PR
TIG Glove, Grain Goatskin/Split Cowhide Kevlar® Thread Medium		812922015631	WCM10M	PR
TIG Glove, Grain Goatskin/Split Cowhide Kevlar® Thread Large		812922015648	WCM10L	PR
TIG Glove, Grain Goatskin/Split Cowhide Kevlar® Thread X-Large		812922015655	WCM10XL	PR

Only Sold in Standard Carton



TIG GLOVES - WCM15

- Premium Top Grain Kidskin for Soft and Supple Comfort.
- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Straight Thumb for Best Gun Grip.
- Unlined for Maximum Dexterity.
- Superior feel and control.

		UPC #	Part #	U/M
TIG Glove, High-Dexterity/Grain Goatskin/Split Cowhide, Kevlar® Thread MED	6 Pair per PolyBag	812922015679	WCM15M	PR
TIG Glove, High-Dexterity/Grain Goatskin/Split Cowhide, Kevlar® Thread LRG		812922015686	WCM15L	PR
TIG Glove, High-Dexterity/Grain Goatskin/Split Cowhide, Kevlar® Thread X-L		812922015693	WCM15XL	PR

Only Sold in Standard Carton



WELDERS GLOVES, INSULATED - WCM20

- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Reinforced Wing Thumb to Maximize Wear Protection.
- Durable Weltinged Fingers for Added Burn Protection.
- Cotton/Foam Lined for Added Heat Protection.
- Durable, Blue Select Shoulder Split Cowhide.

		UPC #	Part #	U/M
Welders Glove, Cushion Lined/Kevlar® Stitched Large	1 Dozen Pair per PolyBag	812922015716	WCM20L	PR
Welders Glove, Cushion Lined/Kevlar® Stitched X-Large		812922015723	WCM20XL	PR

Only Sold in Standard Carton



WORK GLOVES - WCM30

- Slightly Select Shoulder Split Cowhide.
- Palm and Fingers with Canvas Back.
- Cotton Lined Palm with Unlined Back.
- 2-1/2" Rubberized Safety Cuff.

		UPC #	Part #	U/M
Work Glove, Split Cowhide Medium	1 Dozen Pair per PolyBag	812922015747	WCM30M	PR
Work Glove, Split Cowhide Large		812922015754	WCM30L	PR
Work Glove, Split Cowhide X-Large		812922015761	WCM30XL	PR
Work Glove, Split Cowhide XX-Large		812922017048	WCM30XXL	PR

Only Sold in Standard Carton



DRIVERS GLOVES - WCM40

- Top Grain Cowhide Palm with Split Cowhide Back.
- Double Stitched Forefinger for Added Strength.
- Elastic Wrist Band for Snug and Secure Fit.
- Ergonomic Keystone Thumb for Exceptional.
- Articulation & Comfort.

		UPC #	Part #	U/M
Drivers Glove, Split Cowhide/Grain Cowhide Small	1 Dozen Pair per PolyBag	812922015778	WCM40S	PR
Drivers Glove, Split Cowhide/Grain Cowhide Medium		812922015785	WCM40M	PR
Drivers Glove, Split Cowhide/Grain Cowhide Large		812922015792	WCM40L	PR
Drivers Glove, Split Cowhide/Grain Cowhide X-Large		812922015808	WCM40XL	PR

Only Sold in Standard Carton



MIG GLOVES - WCM50

- Split Cowhide Reinforced Palm and Thumb; Kevlar® Stitching
- Kevlar® Stitching Adds Seam Strength and Resists Heat
- Top Grain Cowhide Palm with Split Cowhide Back
- Top Grain Seamless Index Finger for Best Feel
- Fleece Lined for Added Insulation in Hot or Cold Conditions without Bulk

		UPC #	Part #	U/M
Mig Welding Glove, Goatskin / Split Cowhide Kevlar® Thread MED	6 Pair per PolyBag	812922015822	WCM50M	PR
Mig Welding Glove, Goatskin / Split Cowhide Kevlar® Thread LRG		812922015839	WCM50L	PR
Mig Welding Glove, Goatskin / Split Cowhide Kevlar® Thread X-L		812922015846	WCM50XL	PR

Only Sold in Standard Carton



MIG GLOVES - WCM55

- Straight Thumb; Thumb Strap Reinforced for Best Gun Grip.
- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Enhanced Feel; Great in Wet and Oily Conditions.
- Top Grain Pigskin with 4" Split Leather Cuff.
- Unlined Palm for Dexterity and Foam Lined.
- Back for Added Heat Protection.

		UPC #	Part #	U/M
Welding Glove Leather, Grain Pigskin / Split Cowhide Kevlar® Thread MED	6 Pair per PolyBag	812922015860	WCM55M	PR
Welding Glove Leather, Grain Pigskin / Split Cowhide Kevlar® Thread LRG		812922015877	WCM55L	PR
Welding Glove Leather, Grain Pigskin / Split Cowhide Kevlar® Thread X-L		812922015888	WCM55XL	PR

Only Sold in Standard Carton



MIG GLOVES - WCM58

- Outstanding Durability for General MIG Use and Handling
- Kevlar® Stitching Adds Seam Strength and Resists Heat
- Heavy Duty Top Grain Cowhide with 4" Split Leather Cuff
- Wing Thumb; Seamless Forefinger for Comfort
- Unlined for Maximum Dexterity

		UPC #	Part #	U/M
Mig Glove, Grain Cowhide Kevlar® Thread MED	1 Dozen Pair per PolyBag	812922015907	WCM58M	PR
Mig Glove, Grain Cowhide Kevlar® Thread LRG		812922015914	WCM58L	PR
Mig Glove, Grain Cowhide Kevlar® Thread X-L		812922015921	WCM58XL	PR

Only Sold in Standard Carton



PERFORMANCE GLOVES - WCM60

- Reinforced Palm and Thumb for Gripping and Longer Life.
- Top Grain Goatskin Palm and Fingers with Spandex Back.
- Leather Side Bolsters add Additional Protection.
- Unlined for Best Fit, Dexterity and Comfort.
- Elastic Cuff with Hook and Loop Closure.

		UPC #	Part #	U/M
Grain Goatskin Glove, Snug Spandex Fit MED	1 Dozen Pair per PolyBag	812922015945	WCM60M	PR
Grain Goatskin Glove, Snug Spandex Fit LRG		812922015952	WCM60L	PR
Grain Goatskin Glove, Snug Spandex Fit X-L		812922015969	WCM60XL	PR

Only Sold in Standard Carton


INDEX

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
11121	12	FLENS4X5SH10	15	HHADAPTER	13	PLMAGLENS2X4225	16	WCM55M	19
11122	12	FLENS4X5SH11	15	HORNELL9000	16	PLMAGLENS2X4250	16	WCM55XL	19
11122	12	FLENS4X5SH12	15	HORNELL9000F	16	SAFETYLENS2X4	14	WCM58L	19
11123	12	FLENS4X5SH13	15	HORNELL9000X	16	SAFETYLENS2X4P	14	WCM58M	19
11125	12	FLENS4X5SH14	15	KLEARvEMERALD	9	SAFETYLENS4X5	14	WCM58XL	19
11710	12	GLDPLENS2X4SH8	15	KLEARVIEWCTRTC	9	SAFETYLENS4X5P	14	WCM60L	19
BC9X155	17	GLDPLENS2X4SH9	15	KLEARVIEWHDGA	5	ULTRAv+EAGLE	4	WCM60M	19
BC9X155P	17	GLDPLENS2X4SH10	15	KLEARVIEWHDGA	7	ULTRAv+EMERALD	4	WCM60XL	19
BDG9X155	17	GLDPLENS2X4SH11	15	KLEARVIEWHDGA	13	ULTRAVIEWLI	5	WCM-CR2450	5
BDG9X155P	17	GLDPLENS2X4SH12	15	KLEARVIEWLI	8	ULTRAVIEWLI	7	WCM-CR2450	7
CVRLENS2X4	14	GLDPLENS4X5SH8	15	KLEARVIEWLI	9	ULTRAVIEWPCTRTRT	5	WCM-CR2450	8
CVRLENS4X5	14	GLDPLENS4X5SH9	15	KLEARVIEWLO	5	ULTRAVIEWPCTRTRC	7	WCM-CR2450	9
ECONOVIEW	11	GLDPLENS4X5SH10	15	KLEARVIEWLO	7	ULTRAVIEWPLUSTC	4	WCM-CR2450	10
FLENS2X4SH3	15	GLDPLENS4X5SH11	15	KLEARVIEWLO	8	ULTRAVIEWTC	7	WCM-CR2450	13
FLENS2X4SH4	15	GLDPLENS4X5SH12	15	KLEARVIEWLO	9	ULTRAv+NEBULA	4	WHFIXEDF2X4	14
FLENS2X4SH5	15	GLMAGLENS2X475	16	KLEARVIEWPCTRTRC	8	WCM10L	18	WHFIXEDF4X5	14
FLENS2X4SH6	15	GLMAGLENS2X4100	16	KLEARVIEWPLUSTC	8	WCM10M	18	WHFLIPF2X4	14
FLENS2X4SH7	15	GLMAGLENS2X4125	16	KLEARVIEWTC	9	WCM10S	18	WHFLIPF4X5	14
FLENS2X4SH8	15	GLMAGLENS2X4150	16	KWIKVIEWCTRTRC	10	WCM10XL	18	WHG01	17
FLENS2X4SH9	15	GLMAGLENS2X4175	16	KWIKVIEWCTRTRC	11	WCM15L	18	WLENS216326	17
FLENS2X4SH10	15	GLMAGLENS2X4200	16	KWIKVIEWLI	10	WCM15M	18	WLENS216327	17
FLENS2X4SH11	15	GLMAGLENS2X4225	16	KWIKVIEWLI	11	WCM15XL	18	WLENS231410	17
FLENS2X4SH12	15	GLMAGLENS2X4250	16	KWIKVIEWLO	10	WCM20L	18	WLENS231411	17
FLENS2X4SH13	15	GLMAGLENS2X4300	16	KWIKVIEWLO	11	WCM20XL	18	WLENS231921	17
FLENS2X4SH14	15	HEADGEARADJ	5	KWIKVIEWTC	10	WCM30L	18	WLENS770237	17
FLENS4X5SH3	15	HEADGEARADJ	7	PLAINGLASS2X4	14	WCM30M	18		
FLENS4X5SH4	15	HEADGEARADJ	8	PLAINGLASS4X5	14	WCM30XL	18		
FLENS4X5SH5	15	HEADGEARADJ	9	PLMAGLENS2X4100	16	WCM30XXL	18		
FLENS4X5SH6	15	HEADGEARADJ	10	PLMAGLENS2X4125	16	WCM50L	19		
FLENS4X5SH7	15	HEADGEARADJ	11	PLMAGLENS2X4150	16	WCM50M	19		
FLENS4X5SH8	15	HEADGEARADJ	13	PLMAGLENS2X4175	16	WCM50XL	19		
FLENS4X5SH9	15	HELMETBAG	13	PLMAGLENS2X4200	16	WCM55L	19		



PRODUCT CATALOG

December **2022**



Weldcote Sales & Corporate Offices:

842 Oak Grove Rd., Kings Mountain, NC 28086 USA

phone: 877-866-4115, 704-739-4115

fax: 704-739-6116

Weldcote Warehouse & Sales:

1930 S. Carlos Avenue, Ontario, CA 91761

phone: 866-923-2167, fax: 909-923-7016

Weldcote Abrasive & Manufacturing Distribution Center & Training:

7720 Lehigh Avenue Niles, IL 60714

phone: 224-998-2600, 888-258-0121

fax: 224-998-2649

Weldcote Distribution & Sales:

5994 Griggs Road, Houston, TX 77023

www.weldcote.com